

HD Car DVR Dash Cam User Manual

Version: V1.0

Language: English / Chinese

Suitable for: Universal Car Dash Cam Series

Compliance: CE, FCC, RoHS, LVD/EMC Directive

?

一、Important Safety Information & Warning

WARNING

- 1.?Do not install the dash cam in a position that blocks the driver's view or airbag deployment area.
- 2.?Do not disassemble, repair or modify the device by yourself.
- 3.?Do not use the product in high temperature, humid or flammable environment.
- 4.?Use only Class 10 or above Micro SD card (Max support 128GB).
- 5.?The built-in battery is only for emergency power supply; the device must be connected to car power for normal use.

二、Package Contents

- 1.?Dash Cam Host × 1
- 2.?Car Charger × 1
- 3.?Mount Bracket × 1
- 4.?Static Sticker × 2
- 5.?USB Data Cable × 1
- 6.?User Manual × 1

三、Product Structure

- Front Lens
- 2.4"/3.0" IPS Display
- Power / OK Key
- MODE Key
- UP / DOWN Key
- MIC / Speaker
- TF Card Slot
- Reset Hole (RESET)
- USB / Power Port
- Rear Camera Port (Optional)

四、Key Functions

- 1080P Full HD Recording
- 170 ° Ultra Wide Angle
- Loop Recording (Seamless)
- G-sensor Emergency Lock
- Parking Monitoring
- Motion Detection
- One-key Emergency Lock
- Time & Date Stamp
- Audio Recording On/Off

五、 Installation Steps

- 1.?Clean the windshield surface.
- 2.?Paste the static sticker on the glass.
- 3.?Install the bracket on the static sticker.
- 4.?Clip the dash cam onto the bracket.
- 5.?Insert TF card (formatted before use).
- 6.?Connect car charger to power on.

六、 Basic Operation

Power On/Off

Connect to car power → Auto power on & start recording.

Disconnect power → Auto save & shut down.

Recording Mode

Default auto recording after power on.

Press OK to pause / resume.

Mode Switch

Short press MODE to switch:

Video → Photo → Playback

Emergency Lock

Short press OK during recording to lock current video.

Locked files will not be overwritten.

G-sensor

When collision detected, video auto-locked.

Sensitivity: Low / Medium / High / Off

Loop Recording

1min / 3min / 5min / 10min optional.

Old videos will be overwritten automatically.

七、 System Settings

- Language
- Time & Date
- Video Resolution
- Loop Duration
- G-sensor Sensitivity
- Motion Detection
- Parking Monitor
- Audio On/Off
- Auto Screen Off
- Restore Factory Settings

八、 Troubleshooting

- 1.?Cannot power on
→ Check power connection / car charger.
- 2.?No recording
→ Check TF card / format the card.
- 3.?Card full
→ Enable loop recording.
- 4.?Video locked frequently
→ Lower G-sensor sensitivity.
- 5.?Blurry image
→ Clean the lens.

九、Specifications

- Image Sensor: CMOS
- Video Resolution: 1080P / 720P
- View Angle: 170 °
- Video Format: MP4
- Storage: Micro SD Card (Class10, Max 128GB)
- Power Input: DC 5V/1.5A
- Working Temperature: -10°C ~ 65°C

十、Certification & Compliance

This device complies with:

- EU LVD Directive 2014/35/EU
- EU EMC Directive 2014/30/EU
- FCC Part 15B
- RoHS 2.0

十一、After-sales Service

- Warranty: 12 months
- For support, please contact seller via AliExpress Message Center.