

User Manual

For BMW Linux system






Smart Screen,Innovative Life

TIPS:

1. Pay attention to traffic safe and obey the traffic rules.
2. Do not watch video or operate this unit when you are driving.
3. Read this manual carefully before installing this system,power off when you install this system.
4. Do not scrape the screen with sharp objects,otherwise, the display or touch screen may be damaged.
5. Please do not drop liquid on the machine.
6.Non-professionals are not allowed to maintain and install the machine by themselves!Otherwise ,the wrong behavior may seriously damage the car circuit and bring unnecessary loses.
7. Do not allow your children to operate the unit to avoid body injury and damage to the machine.
8. If you encounter difficulties in operating the unit, please park your car in safe place before operating it.
9.If you still have problems after doing everything,please contact our customer service for help.We will reply within 24 hours.We have professionals online to offer help.



Contents

1.Product Information.....1,2,3,4

1.1 Package list.....1

1.2 Wiring details.....2

1.3 Power cable.....3

1.4 Rear camera wiring connection.....3

1.5 Fiber cable connection.....4

1.6 AUX cable connection.....4

2.Setup Introduction.....5,6,7

2.1 Main menu.....5

2.2 Resolution SETUP.....6

2.3 Rear camera SETUP.....7

2.4.Right Hand Drive SETUP.....7

3.Sound SETUP.....8,9,10,11

3.1 NBT sound setup.....8

3.2 CIC sound setup.....9

3.3 CCC sound setup.....10

3.4 Bluetooth transmission method.....11

4.FAQ.....12

1.1.Package list:



Screen



Power cable




USB cable



AUX cable


TIPS:the screen in photo is for reference,you will receive the screen as you ordered.

1.2.Wiring details:




①Connect to power plug
②Connect USB cable plug
③Connect original LVDS plug
④Connect with original power cable
⑤Connect to original CD host
⑥USB 1
⑦USB 2
⑧“AUX IN”， connect to car aux in port

1.3.Power cable:




①Connect to screen
②B+ 12V
③ACC-OUT
④360-DET
⑤ACC
⑥GND
⑦Rear camera PWR
⑧Rear camera video in
⑨CVBS-DVR video in

1.4.Rear camera wiring connection:




1.5.Fiber Optic Cable Switching:

Reconnect the optical fiber from the original power cable to the same position of the new power cable.









1.6.AUX cable connection:

Connect AUX cable to car AUX IN port.




2.1.Main menu:



Click “OEM Car Info” to enter original car interface.And you can touch anywhere in original menu to back to Linux system.

Click “Carplay” to make wireless and wired carplay connection for IOS system phone.

Click “Android auto” to make wireless and wired android auto connection for android system phone.



Click “Bluetooth” to make phone connection,then play bluetooth music,bluetooth phone.

Click “Airplay” to make mirror link for IOS system phone.


Click “Autolink” to make mirror link for android system phone.

Click “USB” to make music playing and video playing via USB flash drive.

2.2.Resolution SETUP:



Click “Original Car’s Screen Resolution” to select the correct resolution as your car original screen resolution,if you don’t know,choose all resolutions one by one to to make original menu working normally.



NBT menu

(If original car display size is 6.5inch,half display is better)



CIC menu

(If original car display size is 6.5inch,half display is better)



CCC menu

2.3.Rear camera SETUP:



Click “Reversing Settings” to make rear camera type selection.
If it’s factory rear camera,choose “Original Camera”;
if it’s added rear camera,choose “Aftermarket Camera”.

Turn “Parking Line” ON/OFF to choose with line or not.

Turn ON/OFF for Parking Radar.

Turn “Reverse Camera Mirror” ON/OFF for rear camera image mirror.

2.4.Right Hand Drive SETUP:



For Right Hand Drive countries,please turn on “Right Hand Drive”,then you can get Carplay icon in right side.and also the correct door information display.

3.Sound SETUP:

3.1.NBT system AUX setup:

Enter original interface--click Multimedia--choose AUX front







3.2.CIC system AUX setup:

Click CD/Multimedia--choose External devices--choose AUX front--adjust the AUX volume to middle is better.








3.3.CCC system AUX setup:

Click Audio AUX






TIPS:For CCC car,if your car does not have Audio AUX,you need to connect an adapter to activate your AUX first,then install the screen to make sound,otherwise you can’t get sound.You can contact seller for help about this.

3.4.Original Bluetooth sound channel:

S1.Connect your phone with original car bluetooth

S2.Turn on “Use Car’s BT Channel”



S3.Set bluetooth transmission method



FAQ

Q1.Original menu does not work normally after installation?

A.Firstly please confirm your order is correct,such as,your car is CCC system,you should make order of CCC, not CIC or NBT,otherwise it can't work;

Secondly, please confirm original LVDS plug is connected well with screen;

Thirdly,make resolution as the steps of page⑥.

Q2.Rear camera does not work normally after installation?

A.Firstly,if it's aftermarket rear camera,please check the wiring connection and choose aftermarket camera as the steps of page③ and page⑦;

Secondly,if it's original rear camera,choose original camera as the steps of page⑦.

Q3.No sound or sound does not work normally after installation?

A.Firstly, please connect fiber cable and AUX cable correctly as the page④;

Secondly,make AUX setup as the steps of page⑧/⑨/⑩.

Thanks for choosing us.Please contact customer service for more questions.